Column 1	Column 2
Commercial designation	Species of fish

Sea Fish	
Anchovy	All species of the family *Engraulidae*
Barracuda	All species of *Sphyraena*
Barramundi	*Lates calcarifer*
Bass *or* Sea bass	*Dicentrarchus labrax* (L.)
Japanese sea bass	*Lateolabrax japonicus*
Spotted sea bass	*Dicentrarchus punctatus*
Southern rock bass	*Paralabrax callaensis*
Bigeye	All species of *Priacanthus*
Bluefish *or* Tailor	*Pomatomus saltatrix*
Bogue	*Boops boops*
Bonito	All species of *Sarda* All species of *Euthynnus*, with the exception of *Euthynnus (Katsuwonus) pelamis* All species of *Auxis*
Brill	*Scophthalmus rhombus* (L.)
Brisling	*Sprattus sprattus* (L.) when canned
Catfish *or* Rockfish *or* Wolffish	All species of *Anarhichas*
Cobia	*Rachycentron canadum*
Cod *or* Codling	*Gadus morhua*
Pacific cod *or* Cod	*Gadus macrocephalus*
Greenland cod *or* Cod	*Gadus ogac*
Saffron cod	*Eleginus gracilis*
Red cod	*Pseudophycis bachus*
Blue cod	*Parapercis colias*
Coley *or* Saithe *or* Coalfish	*Pollachius virens* (L.)
Conger	All species of *Conger*
Croaker *or* Drum *or* Jewfish	All species of the family *Sciaenidae*

Column 1	Column 2
Dab	*Limanda limanda* (L.)
Yellowtail dab	*Limanda ferruginea*
Pacific sand dab	*Citharichthys sordidus*
Dogfish *or* Flake *or* Huss *or* Rigg *or* Rock Salmon *or* Rock Eel	All species of *Galeorhinus* All species of *Mustelus* All species of *Scyliorhinus* *Galeus melastomus* *Squalus acanthias* (L.)
Dory *or* John Dory *or* St Peter's fish	*Zeus faber* (L.)
Eel	All species of *Anguilla*
Emperor	All species of *Lethrinus*
Escolar *or* Snake Mackerel	All species of the family *Gempylidae*
Flounder	*Platichthys flesus* (L.)
Flying fish	All species of the family *Exocoetidae*
Greenling	*Ophiodon elongatus*
Grouper	All species of *Mycteroperca* All species of *Epinephelus*
Gurnard	All species of the family *Triglidae* *Peristedion cataphractum* (L.)
Haddock	*Melanogrammus aeglefinus* (L.)
Hake	All species of *Merluccius* Alternatively, the following may be used
Cape hake	*Merluccius capensis* *Merluccius paradoxus*
White hake	*Urophycis tenuis*
Halibut	*Hippoglossus hippoglossus* (L.) *Hippoglossus stenolepis*
Black halibut *or* Mock halibut	*Reinhardtius hippoglossoides* (Walbaum)
Herring	*Clupea harengus* (L.)
Hilsa	*Tenualosa ilisha*
Hoki	*Macruronus novaezelandiae*
Chilean hoki	*Macruronus magellanicus*

Column 1	Column 2
Jack *or* Scad *or* Horse Mackerel *or* Trevally	All species of *Caranx* All species of *Hemicaranx* All species of *Seriola* All species of *Trachurus* All species of *Decapterus*
Kingklip	*Genypterus capensis*
Ladyfish	All species of the family *Elopidae*
Ling	All species of *Molva*
Lumpfish *or* Lumpsucker	*Cyclopterus lumpus*
Mackerel King Mackerel *or* Kingfish	All species of *Scomber* *Scomberomorus cavalla*
Mahi Mahi	*Coryphaena hippurus*
Marlin	All species of *Makaira*
Megrim	All species of *Lepidorhombus*
Milkfish	*Chanos chanos*
Monk(fish) *or* Angler(fish) Cape monk(fish) *or* Cape angler(fish)	*Lophius piscatorius* (L.) *Lophius americanus* *Lophius vomerinus*
Red mullet Goatfish Grey mullet	*All species of* Mullus All other species of the family *Mullidae* All species of *Mugil* All species of *Liza* All species of *Chelon*
Opah *or* Moonfish	All species of *Lampris*
Orange roughy	*Hoplostethus atlanticus*
Parrotfish	All species of the family *Scaridae*
Picarel	*Spicara smaris*
Pilchard Pacific pilchard South Atlantic pilchard	*Sardina pilchardus* (Walbaum) *Sardinops sagax* that has been caught in the Pacific Ocean. *Sardinops sagax* that has been caught in the South Atlantic Ocean.

Column 1	Column 2
Plaice	*Pleuronectes platessa* (L.)
American plaice	*Hippoglossoides platessoides* (Fabr.)
Pollack *or* Pollock *or* Lythe	*Pollachius pollachius* (L.)
Pacific pollack *or* Pacific pollock *or* Alaska pollack *or* Alaska pollock	*Theragra chalcogramma* (Pallas)
Pomfret *or* Butterfish	All species of *Brama* All species of *Stromateus* All species of *Pampus*
Poor cod	*Trisopterus minutus*
Pout *or* Pout Whiting *or* Pouting *or* Bib	*Trisopterus luscus*
Rainbow runner	*Elagatis bipinnulata*
Redfish *or* Ocean perch *or* Rose fish	All species of *Sebastes* All species of *Helicolenus*
Sablefish	*Anoplopoma fimbria*
Sailfish	All species of *Istiophorus*
Sardine	Small *Sardina pilchardus* (Walbaum)
Sardinella	All species of *Sardinella*
Scabbard fish *or* Sabre *or* Sabre fish *or* Silver sabre *or* Black sabre	*Lepidopus caudatus* *Aphanopus carbo*
Sea bream *or* Porgy	All species of the family *Sparidae* except *Boops boops*
Sild	Small *Clupea harengus* (L.), when canned Small *Sprattus sprattus* (L.), when canned
Skate *or* Ray *or* Roker	All species of *Raja*
Smelt *or* Sparling	All species of *Osmerus*
Snapper	All species of the family *Lutjanidae* Alternatively, the following may be used
Jobfish	All species of *Aphareus* All species of *Aprion* All species of *Pristipomoides*
Snook	All species of *Centropomus*

Column 1	Column 2
Sole *or* Dover sole	*Solea solea* (L.)
Butter sole	*Isopsetta isolepis*
Californian sole	*Parophrys vetulus*
Lemon sole	*Microstomus kitt* (Walbaum)
Petrale sole	*Eopsetta jordani*
Rex sole *or* Long-finned sole	*Glyptocephalus zachirus*
Rock sole	*Lepidopsetta bilineata*
Pacific sole	*Microstomus pacificus*
Torbay sole *or* Witch	*Glyptocephalus cynoglossus* (L.)
Sprat	*Sprattus sprattus* (L.), except when canned
Swordfish	*Xiphias gladius*
Tarpon	All species of the family *Megalopidae*
Threadfin bream	All species of *Nemipterus*
Toothfish *or* Icefish	*Dissostichus mawsoni* *Dissostichus eleginoides*
Tuna *or* Tunny	All species of *Thunnus*
Skipjack tuna (*or* tuna)	*Katsuwonus pelamis*
Albacore tuna (*or* tuna)	*Thunnus alalunga*
Yellowfin tuna (*or* tuna)	*Thunnus albacares*
Bluefin tuna (*or* tuna)	*Thunnus thynnus*
Bigeye tuna (*or* tuna)	*Thunnus obesus*
Turbot	*Psetta maxima*
Wahoo	*Acanthocybium solandri*
Whitebait	Small *Clupea harengus* (L.) Small *Sprattus sprattus* (L.) (except when canned)

Column 1	Column 2
Whiting	*Merlangius merlangus* (L.)
Blue whiting	*Micromesistius poutassou* (Risso)
Southern blue whiting	*Micromesistius australis*
Winter flounder	*Pseudopleuronectes americanus* (Walbaum)

Salmon and Freshwater Fish	
Bacha	*Eutropiichthys vacha*
Batashi	*Pseudeutropius atherinoides*
Carp	All species of the family *Cyprinidae*
	Alternatively the following may be used
Mowrala	*Amblypharyngodon mola*
Banspata	*Danio devario*
Bata	*Labeo bata*
Kalibous	*Labeo calbasu*
Ghania	*Labeo gonius*
Ruhi	*Labeo rohita*
Punti	*Puntius sarana*
Chelapata	*Salmostoma bacaila*

Column 1	Column 2
Catfish *or* American catfish *or* Channel catfish	All species of the family *Ictaluridae*
Catfish	All species of the family *Clariidae* All species of the family *Siluridae* All species of the family *Bagridae* Alternatively the following may be used
Magur	*Clarias batrachus*
Gulsha	*Mystus bleekeri*
Buzuri	*Mystus tengara*
Tengra	*Mystus vittatus*
Pabda	*Ompok pabda*
Ayre	*Sperata aor*
Boal	*Wallago attu*
Chapila	*Gudusia chapra*
Char	All species of *Salvelinus*
Kakila	*Xenentodon cancila*
Keski	*Corica soborna*
Khalisha	*Colisa fasciatus*
Koi	*Anabas testudineus*
Largebaim	*Mastacembelus armatus*
Meni	*Nandus nandus*
Nile Perch	*Lates niloticus*
Pacific dory *or* Vietnamese sole	*Pangasius bocourti*
Patabaim	*Macrognathus aculeatus*
Queen fish	*Botia dario*

Column 1	Column 2
River cobbler	*Pangasius micronemus* *Pangasius hypophthalmus*
Salmon *or* Atlantic salmon	*Salmo salar* (L.)*
Cherry salmon *or* Pacific salmon	*Oncorhynchus masou masou**
Chum salmon *or* Keta salmon	*Oncorhynchus keta* (Walbaum)*
Medium red salmon *or* Coho salmon *or* Silver salmon	*Oncorhynchus kisutch* (Walbaum)*
Pink salmon	*Oncorhynchus gorbuscha* (Walbaum)*
Red salmon *or* Sockeye salmon	*Oncorhynchus nerka* (Walbaum)*
Spring salmon *or* King salmon *or* Chinook salmon *or* Pacific salmon	*Oncorhynchus tshawytscha* (Walbaum)*
Shol	*Channa striata*
Taki	*Channa punctata*
Tilapia	All species of *Tilapia* All species of *Oreochromis*
Trout *or* Brown trout	*Salmo trutta trutta* (L.) which has spent all of its life in fresh water
Sea trout *or* Salmon trout	*Salmo trutta trutta* (L.) which has spent part of its life in sea water
Cut-throat trout *or* trout	*Oncorhynchus clarki clarki*
Rainbow trout *or* Steelhead trout *or* trout	*Oncorhynchus mykiss*

Shellfish	
Abalone *or* Ormer	All species of *Haliotis*

Column 1	Column 2
Clam *or* Hard shell clam	*Mercenaria mercenaria* (L.) *Venus verrucosa* (L.)
Clam *or* Razor clam	All species of *Ensis* and *Solen*
Geoduck *or* Geoduck clam	*Panopea abrupta*
Surf clam	All species of *Spisula*
Cockle	All species of *Cerastoderma*
Crab	All species of the order *Brachyura* All species of the family *Lithodidae*
Crayfish	All species of the family *Astacidae* All species of the family *Parastacidae* All species of the family *Austroastacidae* All species of the family *Cambaridae*
Cuttlefish	All species of *Sepia* *Rossia macrosoma*
Lobster	All species of *Homarus*
Slipper lobster	All species of the family *Scyllaridae*
Squat lobster	All species of the family *Galatheidae*
Crawfish *or* Spiny lobster *or* Rock lobster	All species of *Panulirus* All species of *Palinurus* All species of *Jasus*
Indian ocean lobster	*Puerulus sewelli*
Mussel	All species of the family *Mytilidae*
Octopus	All species of *Octopus*

Column 1	Column 2
Oyster	All species of *Crassostrea* All species of *Ostrea*
Oyster *or* Portuguese oyster	*Crassostrea angulata* (Lmk.)
Oyster *or* Pacific oyster *or* Rock oyster	*Crassostrea gigas* (Thunberg)
Oyster *or* Native oyster	*Ostrea edulis* (L.)
Prawn *or* Shrimp	Whole fish (of a size which, when cooked, have a count of less than 397 per kg) or tails (of a size which, when peeled and cooked, have a count of less than 1,323 per kg) of - all species of the family *Palaemonidae*, all species of the family *Penaeidae*, and all species of the family *Pandalidae*
King prawn	All species of the family *Palaemonidae* All species of the family *Penaeidae* Where the count is less than 123 per kg (head on/shell on) or less than 198 per kg (head off/shell on) or less than 242 per kg (head off/shell off)
Tiger prawn	*Penaeus monodon* *Penaeus semisulcatus* *Penaeus esculentus* *Penaeus kerathurus* *Penaeus japonicus* *Parapenaeopsis hardwickii* *Parapenaeopsis sculptilis*

Column 1	Column 2
Scallop *or* King scallop	*Pecten maximus*
Atlantic scallop *or* Scallop	*Placopecten magellanicus*
Queen scallop *or* Queen *or* Scallop	*Chlamys (Aequipecten) opercularis*
Scallop *or* Common scallop	All species of the family *Pectinidae*
Scampi *or* Norway lobster *or* Dublin Bay prawn *or* Langoustine	*Nephrops norvegicus* (L.)
Pacific scampi	*Metanephrops andamanicus* *Metanephrops challengeri* *Metanephrops thomsoni*
Shrimp	Whole fish (of a size which, when cooked, have a count of 397 per kg or more) or tails (of a size which, when peeled and cooked, have a count of 1,323 per kg or more) of - all species of the family *Palaemonidae*, all species of the family *Penaeidae*, and all species of the family *Pandalidae*
Shrimp *or* Pink shrimp	*Pandalus montagui*
Shrimp *or* Brown shrimp	All species of *Crangon*
Squid	All species of *Loligo* All species of *Illex* *Ommastrephes sagittatus*
Arrow Squid	*Nototodarus sloani* *Nototodarus gouldi*
Whelk	All species of *Buccinum*
Winkle	All species of *Littorina*